


# SIMPLE LINK - UNO 1/16"


- Provides voltage to the electrospray and connects the column and emitter with an accessible Zero Dead Volume fitting
- Reduce complexity and chances of error.
- Tool-free operation
- Integrates an IDEX (1/16 OD sleeve, 13 nl swept volume) fitting.
- Compatible with Nano Flex

SIMPLE LINK UNO is the ideal solution for former users of metal emitters to migrate to the Sharp Singularity™ (mechanically sharpened fused silica emitters).

# SIMPLE LINK UNO 1/16"



- SIMPLE LINK UNO is clamped to the Flex pole.
- The ZDV is comfortably assembled outside, and it simply clicks in.
- SIMPLE LINK UNO collects the voltage from the Flex emitter clamp and passes it to the ZDV fitting and the electrospray. No conductive coating required.
- With no extra wires, SIMPLE LINK provides a clean and robust set-up.




SIMPLE LINK UNO 1/16 incorporates an IDEX ZDV U-411 fitting, with 1/16" sleeves in both sides. Inner diameter: 178  $\mu$ m, swept volume:13nL.


# SIMPLE LINK UNO 1/16"

Install SIMPLE LINK:

1) Slide SIMPLE LINK through the ion source pole



2) Tighten SIMPLE LINK's clamp



3) Connect SIMPLE LINK to Voltage




# SIMPLE LINK UNO 1/16"


## Connect the nLC column and Emitter:

### 1) Connect the Zero Dead Volume fitting.

Make sure that there are no dead volumes between the sleeves, the emitter and the column. For this, all elements must sit properly in their corresponding position. The Sharp Singularity™ emitters have a straightened and polished back end to ensure a good fit. SIMPLE LINK facilitates this step by allowing you to mound the ZDV fitting outside the ion source.



### 2) Click the ZDV assembly into the SIMPLE LINK. .




# SIMPLE LINK UNO 1/16"

Ready to go:

1) Click covers

2) Slide into the source




# SIMPLE LINK UNO

Why would you want to integrate the Sharp Singularity™?


**To improve the quality of your data**  
with robust and repeatable nano-electrospray ionization

How the Sharp Singularity emitters improve ionization:

- very acute angle,
- well-defined edges,
- constant ID,
- geometric reproducibility
- full traceability and quality control



Find more information in [www.fossiliontech.com](http://www.fossiliontech.com)  
Write to [info@fossiliontech.com](mailto:info@fossiliontech.com) or your local distributor to order your emitters



**FOSSILIONTECH**

Proud of servicing science



**FOSSILIONTECH**

[www.fossiliontech.com](http://www.fossiliontech.com)